

Performance of grid-connected PV

PVGIS-5 estimates of solar electricity generation:


Provided inputs:

Latitude/Longitude: 57.703,12.983
 Horizon: Calculated
 Database used: PVGIS-SARAH2
 PV technology: Crystalline silicon
 PV installed: 12.96 kWp
 System loss: 12 %

Simulation outputs


Slope angle: 24 °
 Azimuth angle: 55 °
 Yearly PV energy production: 10520.4 kWh
 Yearly in-plane irradiation: 997.33 kWh/m²
 Year-to-year variability: 489.43 kWh
 Changes in output due to:
 Angle of incidence: -3.79 %
 Spectral effects: 1.54 %
 Temperature and low irradiance: -5.33 %
 Total loss: -18.61 %

Outline of horizon at chosen location:




■ Horizon height
 - - Sun height, June
 — Sun height, December

Monthly energy output from fix-angle PV system:



Monthly in-plane irradiation for fixed-angle:



Monthly PV energy and solar irradiation

| Month | E _m | H(i) _m | SD _m |
|-----------|----------------|-------------------|-----------------|
| January | 152.7 | 15.0 | 44.3 |
| February | 339.7 | 31.1 | 65.3 |
| March | 894.9 | 80.9 | 141.0 |
| April | 1361.4 | 125.8 | 224.8 |
| May | 1604.6 | 151.6 | 183.7 |
| June | 1641.1 | 157.7 | 119.2 |
| July | 1569.6 | 152.4 | 224.8 |
| August | 1270.5 | 121.8 | 139.7 |
| September | 908.9 | 85.8 | 129.7 |
| October | 504.1 | 47.4 | 97.1 |
| November | 185.2 | 18.3 | 44.3 |
| December | 87.9 | 9.6 | 27.8 |

E_m: Average monthly electricity production from the defined system [kWh].

H(i)_m: Average monthly sum of global irradiation per square meter received by the modules of the given system [kWh/m²].

SD_m: Standard deviation of the monthly electricity production due to year-to-year variation [kWh].